



BENESSERE DEGLI ANIMALI - SOSTENIBILITA' ETICA E SOCIALE - TRACCIABILITA' DEL PRODOTTO - FIBRE ANIMALI DA ALLEVAMENTI ETICI
OSLO è un filato puro naturale in pregiato mohair e lana che imita una morbidissima e leggerissima pelliccia "primitiva". Perfetto per capi spalla, può essere lavorato a scarto d'ago per una maglieria più tradizionale ed aspetto artigianale. La finezza ideale è finezza 3.

ANIMAL WELFARE - ETHICAL AND SOCIAL SUSTAINABILITY - TRACEABILITY OF THE PRODUCT - RESPONSIBLE ANIMAL FIBERS
OSLO is a pure natural yarn made of fine mohair and wool that imitates a very soft and lightweight "primitive" fur. Perfect for outerwear garments, it can be worked in needle spacing for a traditional knitwear and handcrafted look. 3 is the ideal gauge.

OSLO	NM 1,5	60% SUPERKID MOHAIR ETICO 40% LANA	COTTE OTTIMALI - OPTIMAL DYE LOTS
TITOLO NOMINALE - NOMINAL COUNT		60% ETHICAL SUPERKID MOHAIR 40% WOOL	KG: 8* - 16* - 32* - 48* - 96
OSLO RAF	NM 1,5	60% SUPERKID MOHAIR RMS 30% LANA	*CON SUPPLEMENTO - * WITH SURCHARGE
TITOLO NOMINALE - NOMINAL COUNT		10% LANA MERINO EXTRAFINE RWS	COTTE SPECIALI - SPECIAL DYELOTS
		60% SUPERKID MOHAIR RMS 30% WOOL	KG: 160 SOLO PER IL COLORE NERO - ONLY FOR BLACK COLOR
		10% EXTRAFINE MERINO WOOL RWS	KG: 4* SOLO PER CAMPIONARIO - ONLY FOR SAMPLING
 MOHAIR  WOOL  ©TextileExchange  ©TextileExchange			

INDICAZIONI PER L'UTILIZZO:

MACCHINA RETTILINEA FINEZZA 3 AD UN CAPO

LA LAVORAZIONE SEAMLESS HA MAGGIORI CRITICITA' DA DOVER VALUTARE DOPO LE VOSTRE PROVE CON IL NOSTRO UFFICIO TECNICO.

IL TONO DEL COLORE NATURALE DEL MOHAIR, VARIA SECONDO I DIVERSI LOTTI DI PRODUZIONE. NEI COLORI BIANCO, NATURALE E CHIARI DEI FILATI DELLA FAMIGLIA EDEN, E' EVIDENTE LA PRESENZA DI PELI SCURI O COLORATI E NEI COLORI SCURI E' EVIDENTE LA PRESENZA DI GIARRE CHIARE, PER LA NATURALE CARATTERISTICA DEL VELLO TOSATO DEL MOHAIR.

SI CONSIGLIA LAVORARE A DUE O PIU' GUIDAFILI ALTERNANDO ROCCHIE INTERE E AMMEZZATE. E' IMPORTANTE CONTROLLARE ATTENTAMENTE LA REGOLARITA' DELLA TENSIONE USANDO L'ALIMENTATORE, PER OTTENERE UNA SMACCHINATURA UNIFORME. VALUTARE ATTENTAMENTE L'IMPATTO DEI NODI SUL CAPO IN QUANTO LA COSTRUZIONE ARTIGIANALE DEL FILATO NE DETERMINA LA PRESENZA.

INDICATIONS FOR USE:

FLAT KNITTING MACHINE GAUGE 3 FOR 1 PLY

THE SEAMLESS KNITTING IS MORE CRITICAL, PLEASE EVALUATE YOUR TESTS WITH CARE AND THEN WITH OUR TECHNICAL DEPARTMENT.

THE TONE OF NATURAL COLOR OF MOHAIR VARIES, ACCORDING ON THE DIFFERENT PRODUCTION LOTS. IN THE WHITE, NATURAL AND LIGHT COLORS OF THE YARNS OF THE EDEN FAMILY, THE PRESENCE OF DARK OR COLORED HAIR IS EVIDENT AND IN THE DARK COLORS THE PRESENCE OF LIGHT HAIRS IS EVIDENT, DUE TO THE NATURAL CHARACTERISTIC OF THE SHEARED FLEECE OF MOHAIR.

IT IS ADVICEABLE TO USE MULTIFEED KNITTING, ALTERNATING FULL AND HALF CONES. IT IS IMPORTANT TO CAREFULLY CHECK THE REGULARITY OF TENSIONS USING THE YARN FEEDER TO OBTAIN EVEN KNITS. CAREFULLY CONSIDER THE IMPACT OF THE KNOTS ON THE GARMENT BECAUSE THE ARTISAN CONSTRUCTION OF THE YARN DETERMINES THEIR PRESENCE.

CARATTERISTICHE TECNICHE:

TARIFFA DOGANALE: 51072099

PESO A MQ 274 GR. RELATIVO AL TELO DI CAMPIONARIO, PUNTO RASATO TRATTATO FIN. 3. ICI PILLING BOX TEST: UNI EN ISO 12945-1 (14400 GIRI) VALORE PILLING: 3 RELATIVO AL TELO DI CAMPIONARIO, PUNTO RASATO TRATTATO.

TIPO DI NODI: MANUALI. NUMERO MEDIO DI NODI PER ROCCA: 3 / 4
PER TIPOLOGIA FILATI FANTASIA UNO SCARTO DEL 6 - 8% È DA RITENERSI NELLA NORMA.

TECHNICAL NOTES:

CUSTOMS CODE: 51072099

SQ. METER WEIGHT: 274 GR. REFERRING TO SAMPLE JERSEY STITCH WASHED GG. 3. ICI PILLING BOX TEST: UNI EN ISO 12945-1 (14400 TURNS) 3 PILLING VALUE, REFERRING TO SAMPLE JERSEY STITCH WASHED.

KIND OF KNOTS: MANUAL. AVERAGE NUMBER OF KNOTS PER CONE: 3 / 4
FOR FANCY YARNS A WASTE OF 6 - 8% CAN BE CONSIDERED NORMAL.

ISTRUZIONI DI TRATTAMENTO INDUSTRIALE RIFERITE AL NOSTRO CAMPIONARIO:

VAPORIZZARE ADEGUATAMENTE.

TRATTAMENTO: 4 MINUTI, RAPPORTO BAGNO 1/20 (MATERIALE/ACQUA) - TEMPERATURA: 30° C.

AMMORBIDENTE: CATIONICO, CIRCA 3% PESO MATERIALE - ASCIUGATURA: A FREDDO

I VARI PUNTI MAGLIA CONDIZIONANO IL RIENTRO AL LAVAGGIO.

SI RACCOMANDA UN CONTROLLO PRELIMINARE ALLA PRODUZIONE INDUSTRIALE, IN MODO DA OTTIMIZZARE LE RESE PER LE QUALI NON SIAMO RESPONSABILI. E' RACCOMANDATO IL TRATTAMENTO IN ACQUA IN MODO DA GARANTIRE LA STABILITA' DIMENSIONALE DEI CAPI.

INDUSTRIAL FINISHING INSTRUCTIONS REFERRED TO OUR COLLECTION:

STEAM ADEQUATELY.

TREATMENT: 4 MINUTES, BATH RATIO 1/20 (MATERIAL/WATER) - TEMPERATURE: 30° C.

SOFTENERS: CATIONIC, ABOUT 3% OF MATERIAL WEIGHT - DRY COLD.

SHRINKING AFTER WASHING DEPENDS ON THE KIND OF STITCH USED.

WE RECOMMEND TO CHECK IT BEFORE ENTERING BULK PRODUCTION, SO AS TO OPTIMIZE THE PERFORMANCES FOR WHICH WE DO NOT REMAIN RESPONSIBLE. WE RECOMMEND A TREATMENT IN WATER SO AS TO GUARANTEE THE DIMENSIONAL STABILITY OF GARMENTS.

SOLIDITA' : VALORI MEDI INDICATIVI - FASTNESS: INDICATIVE AVERAGE VALUES

LAVAGGIO IN ACQUA A 30°C. WATER WASHING AT 30°C. (UNI EN ISO 105 C06)	3	LAVAGGIO A SECCO DRY CLEANING (UNI EN ISO 105 X05)	4
LUCE LIGHT (UNI EN ISO 105 B02)	3 - 4	TINTO MATASSA HANK DYED	

PER COLORI CHIARI E BIANCO, LA SOLIDITA' ALLA LUCE E' INFERIORE DI CIRCA 1 PUNTO DAI VALORI INDICATIVI DELLA SCHEDA CHE SI RIFERISCONO AI COLORI DELLA CARTELLA. LE SOLIDITA' DEI COLORI A CAMPIONE VA DEFINITA CON I NOSTRI UFFICI COMMERCIALI.

SUDORE ALCALINO ALKALINE PERSPIRATION (UNI EN ISO 105 E04)	3	SUDORE ACIDO ACID PERSPIRATION (UNI EN ISO 105 E04)	3
SFREGAMENTO A SECCO DRY RUBBING (UNI EN ISO 105 X12)	3	SFREGAMENTO A UMIDO WET RUBBING (UNI EN ISO 105 X12)	3

FOR LIGHT AND WHITE COLORS THE FASTNESS TO LIGHT IS LOWER OF APPROX. 1 POINT FROM THE INDICATIVE VALUES OF THE TECHNICAL SHEET WHICH REFER TO COLOR CARD COLORS. THE FASTNESS OF SPECIAL COLORS MUST BE CONFIRMED WITH OUR SALES OFFICES.

ISTRUZIONI DI MANUTENZIONE:

LAVARE DELICATAMENTE IN ACQUA A 30°C. CON SAPONE NEUTRO OPPURE A SECCO.

PER CAPI RIGATI O COLORI CONTRASTANTI E' RACCOMANDATO IL LAVAGGIO A SECCO, ADEGUANDO I SIMBOLI DI MANUTENZIONE.

RIVOLGERSI ALL'UFFICIO COMMERCIALE PER VALUTARE LA POSSIBILITA' DI TRATTAMENTI E COSTI, PER RAGGIUNGERE SOLIDITA' MAGGIORI.

ASCIUGARE IN PIANO SUBITO DOPO IL LAVAGGIO. NON ESPORRE CAPI UMIDI A LUCE DIRETTA.

I VARI PUNTI MAGLIA CONDIZIONANO IL RIENTRO AL LAVAGGIO ED E' SEMPRE NECESSARIO EFFETTUARE LE PROVE RELATIVE A QUANTO DICHIARATO NELLE ETICHETTE DI MANUTENZIONE. SI CONSIGLIA DI EFFETTUARE SEMPRE UN CONTROLLO PRELIMINARE ALLA PRODUZIONE INDUSTRIALE AL FINE DI GARANTIRE LA CONFORMITA' DELLE TAGLIE.

CARE INSTRUCTIONS:

WASH DELICATELY IN 30°C. WATER WITH MILD SOAP FLAKES OR DRY CLEAN.

WE RECOMMEND THAT ALL GARMENTS STRIPED OR IN CONTRASTING COLORS BE DRY CLEANED, ADAPTING THE CARE SYMBOLS.

PLEASE CONTACT THE SALES OFFICE TO EVALUATE THE POSSIBILITY OF TREATMENTS AND COSTS TO ACHIEVE HIGHER FASTNESS.

DRY FLAT, IMMEDIATELY AFTER WASHING. DO NOT EXPOSE WET GARMENTS TO DIRECT LIGHT.

SHRINKING AFTER WASHING DEPENDS ON THE KIND OF STITCH USED, AND IT IS ALWAYS NECESSARY TO CARRY OUT TESTS RELATED TO WHAT IS STATED ON THE MAINTENANCE LABELS. IT IS ADVISABLE TO ALWAYS CARRY OUT A PRE-PRODUCTION INSPECTION OF INDUSTRIAL PRODUCTION IN ORDER TO GUARANTEE SIZE CONFORMITY.

SIMBOLI DI MANUTENZIONE INTERNAZIONALI - UNI EN ISO 3758 : 2012 - INTERNATIONAL CARE SYMBOLS

CAPI IN TINTA UNITA



ONE COLOUR GARMENTS

CAPI RIGATI O COLORI CONTRASTANTI



STRIPED OR MORE COLOUR GARMENTS

filati BE.MIVA